





F1. Dense film
Ex: FeWO_4





$C \sim 11 \text{ F.cm}^{-3}$
 $\tau \sim 5 \text{ s}$

F2. Columnar film
Ex: MnFe_2O_4








$C \sim 50 \text{ F.cm}^{-3}$
 $\tau \sim 250 \text{ s}$








F3. Nanofeather film
Ex: RuN





$C \sim 500 \text{ F.cm}^{-3}$
 $\tau \sim 3 \text{ s}$









Capacitance based on electroadsorption process

- MoS₂ / Chen, et al. Nature Nanotechnology 17, 153-158 (2022).
- AC carbon / D. Pech et al, Nature Nanotechnology 5, 651-654 (2010)
- CDC / M. Létiche et al, Adv. Funct. Mater. 27, 1606813 (2017) & K. Brousse et al., Journal of Power Sources 328, 520-526 (2016) & P. Huang et al, Science 351, 691-695 (2016)

Pseudocapacitance process in aqueous electrolyte

- FeWO₄ / Buvat, G. et al. J. Electrochem. Soc. 168, 030524 (2021).
- MnO₂ / Douard, C. et al. Materials. 14, 1-19 (2021).
- RuO₂ / B. Asbani et al, Energy Storage Materials 37, 207-214 (2021).
- VN / K. Robert et al, Energy Environ. Sci. 13, 949-957 (2020) & A. Jronidi et al, Adv. Energy Mater. 2203462 (2023).
- Ti₃C₂-Tx / Maria R. Lukatskaya et al, Nature Energy 2, 17105 (2017)
- RuN / This work BEFORE electrochemical oxidation
- RuN / This work AFTER electrochemical oxidation

Intercalation process in organic electrolyte

- Ti₃C₂ / Y. Li et al, Nature Materials 19, 894-899 (2020)
- Nb₂O₅ / C. Arico et al, ACS Nano 13, 5826-5832 (2019) & J. Côme et al, J. Electrochem. Soc. 161 (5), A718 (2015) & V. Augustyn et al, Nature Materials 12, 518 (2013)