

France's 2020 Report Card on Physical Activity and Sedentary Behaviors in Children and Youth: Results and Progression

Alicia Fillon, Pauline Genin, Benjamin Larras, Jeremy Vanhelst, Maxime Luiggi, Salome Aubert, Charlotte Verdot, Olivier Rey, Léna Lhuisset, Julien Bois, et al.

▶ To cite this version:

Alicia Fillon, Pauline Genin, Benjamin Larras, Jeremy Vanhelst, Maxime Luiggi, et al.. France's 2020 Report Card on Physical Activity and Sedentary Behaviors in Children and Youth: Results and Progression. Journal of Physical Activity and Health (JPAH), 2021, 18 (7), pp.811-817. 10.1123/jpah.2021-0025. hal-03245260

HAL Id: hal-03245260 https://hal.univ-lille.fr/hal-03245260v1

Submitted on 1 Jun 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

France's 2020 Report Card on Physical Activity and Sedentary Behaviors in children and youth: Results and Progression

1

2 3 Fillon A^{1,2}, Genin P^{1,2}, Larras B¹, Vanhelst J³, Luiggi M⁴, Aubert S⁵, Verdot C⁶, Rey O⁷, Lhuisset 4 L⁸, Bois J^{1,8}, Fearnbach N¹², Duclos M^{1,9,10,11}, Thivel D^{1,2}. 5 6 7 1National Observatory for Physical Activity and Sedentary behaviors (ONAPS), Clermont-Ferrand, France. 8 ²Clermont Auvergne University, EA 3533, Laboratory of the Metabolic Adaptations to Exercise under Physiological and Pathological Conditions (AME2P), CRNH Auvergne, Clermont-Ferrand, France. 10 3 Inserm U1286 - INFINITE - Institute for Translational Research in Inflammation CIC 1403 - centre d'Investigation Clinique 11 Centre Hospitalier et de recherche Universitaire (CHRU) de Lille Université de Lille, Lille, France 12 ⁴Institut national du sport de l'expertise et de la performance, Pôle Performance, Unité Recherche et Laboratoire SEP, 13 Paris, France. 14 ⁵Healthy Active Living and Obesity Research Group, Children's Hospital of Eastern Ontario Research Institute, Ottawa, 15 Ontario, Canada ⁶Équipe de surveillance et d'épidémiologie nutritionnelle (Esen) ; Direction des maladies non-transmissibles et 16 17 traumatismes (DMNTT) - Santé publique France, Université Paris 13 – Sorbonne Paris Nord, Centre de recherche en 18 Épidémiologie et Statistiques (CRESS), Bobigny, France 19 20 21 ⁷Institut des sciences du mouvement, UMR CNRS 7287, Structure Fédérative d'Études et de Recherches en Éducation de Provence, FED 4238, Aix-Marseille Université, Marseille, France. ⁸Universite de Pau & des Pays de l'Adour, e2s UPPA, MEPS, Tarbes, France. 22 ⁹INRAE, UMR 1019, Clermont-Ferrand, France. 23 ¹⁰University Clermont 1, UFR Medicine, Clermont-Ferrand, France. 24 ¹¹Department of Sport Medicine and Functional Explorations, Clermont-Ferrand University Hospital, G. Montpied Hospital, 25 Clermont-Ferrand, France. 26 ¹²Pennington Biomedical Research Center, Baton Rouge, LA, USA. 27 28 **Abstract** 29 Background: There is an alarming and constant worldwide progression of physical inactivity and 30 sedentary behaviors in children and adolescents. The present paper summarizes findings from 31 France's 2020 Report Card on physical activity for children and youth, comparing its results to its two 32 previous editions (2016 and 2018). 33 Methods: France's 2020 Report Card follows the standardized methodology established by the Active 34 Healthy Kids Global Matrix, grading 10 common physical activity indicators using the best available evidence. Grades were informed by national surveys, peer-reviewed literature, government and non-35 government reports, and online information. 36 Results: The expert panel awarded the following grades: Overall Physical Activity: D; Organized Sport 37 Participation and Physical Activity: C-; Active Play: INC; Active Transportation: C-; Sedentary 38

Behaviors: D-; Family and Peers: D-; Physical Fitness: D; School: B-; Community and the Built

Environment: F; Government: C.

Conclusions: This 2020 edition of France's Report Card again highlights the alarming levels of physical activity and sedentary behaviors among French children and adolescents, calling for the development of effective national action. It also draws attention on the particular deleterious effects of the COVID-19 confinement on youth's movement behaviors that significantly worsened the situation.

Key words: Adolescents, Sedentary Behaviors, Health, Active Transportation, Physical Activity

Promotion

Introduction

Despite the continuously growing body of evidence that undoubtedly describes the beneficial effects of an active lifestyle on overall health from the youngest age ^{1,2}, studies describe persistently insufficient and declining levels of physical activity ^{3–7} and an alarming progression of the time devoted to sedentary behaviors ^{3–6,8–10}.

In 2005, Canada lunched the first Report Card (RC) initiative, proposing a detailed analysis of national data on the physical activity and sedentary behaviors of Canadian youth ¹¹. This national initiative quickly influenced governmental policies, practices, and research orientations ¹², inspiring 15 countries to embrace this Report Card process in a coordinated way in 2014, leading to the creation of the international Global Matrix 1.0 ¹³. Gaining in interest and popularity, 38 countries took part in the Global Matrix 2.0 in 2016 ¹⁴, wherein France presented its first Report Card under the umbrella of the French National Observatory for Physical Activity and Sedentary Behaviors (ONAPS) ¹⁵. As part of

the Global Matrix 3.0 (involving 49 countries from 6 continents), the ONAPS proposed a 2018

updated version of the 2016 French report card, confirming very concerning levels of physical activity

and sedentary behaviors among French children and youth ^{16,17}. Moreover, among the 10 physical activity indicators studied, Active Play, Family and Peers, and Community and Environment were found to have insufficient information at the national level. Although this 2018 Report Card placed France among the top 10% and 35% countries regarding Physical Fitness and School indicators, respectively, the country was behind the majority of the European countries when it came to Organized Sport and Physical Activity, Active Transportation, and Sedentary Behaviors ^{16,17}.

While the Global Matrix 4.0 is planned to be released in 2022, the ONAPS proposes here an intermediary evaluation of the 10 physical activity indicators, particularly focusing on the effects of the unpredicted 2020 sanitary lock-down imposed to slow down the progression of the COVID-19 pandemic.

Methods

Following the classical and collective methodology established by the Global Alliance ¹⁸ France's 2020 Report Card was prepared and conceived by an expert panel composed of members of the French National Observatory for Physical Activity and Sedentary Behaviors (ONAPS, www.onaps.fr), external and academic experts, and members from public health agencies (Santé Publique France). Briefly, the panel leader was responsible for integrating each expert's contribution and for writing the Report Card main document. All the authors contributed to identifying key data sources and synthesized the evidence from a range of national surveys, reviewed the entire document, and contributed to the grade for each indicator.

The 10 physical activity indicators selected at the international level by the Global Alliance were evaluated by the panel: Overall Physical Activity Levels, Organized Sport and Physical Activity, Active Play, Active Transportation, Sedentary Behaviors, Physical Fitness, Family and Peers, School, Community and Environment, and Governmental and Institutional Implication.

The expert panel first connected in March 2020 and indicators were assigned to specific members of the panel according to their area of interest and expertise. Each expert (or group of experts), supported by the operative agents of the ONAPS, compiled the best available evidence for 5- to 17-year-old children and adolescents, performed an objective analysis, and wrote the RC section specific to their indicator. Based on each expert report, grades were collectively discussed and assigned in November 2020. Each indicator evaluation with quantitative data was graded using the standardized benchmarks and grading scheme provided by the AHKGA (Active Healthy Kids Global Alliance) ¹⁸. A new grading scheme was developed and used when it came to indicators with more qualitative information and the need to acknowledge the degree of investment of actors (such as the governmental implication or Community and Environment indicators), as previously suggested ¹⁹. This adapted scheme is presented in Figure 1. As part of this 2020 Report Card, a particular focus was on the physical activity and sedentary behaviors of children and adolescents during the COVID-19 related confinement. While the available data were analyzed and discussed in the report, no grade was assigned to this special section.




Figure 1: Grading system adapted from the AHKGA (adapted from Aubert et al., 2018)¹⁸.

Results and discussion

Table 1: Evolution of the French Report Card grades from 2016 to 2020 for each physical activity

indicator.

101

102

103

104

105

Indicators	2016	2018	2020
Overall Physical Activity	INC	D	D
Organized Sport and Physical Activity	D	C-	C-
Active Play	NA	INC	INC

Active Transportation	D	C-	C-	
Sedentary Behaviors	D	D-	D-	
Physical Fitness	NA	В-	D	
Family and Peers	INC	INC	D-	
School	В	В	В-	
Community and Environment	INC	INC	F	
Government	INC	С	C	
Average	D	C-	C-	

Note: NA = not assigned; INC = incomplete grade.

Overall Physical Activity: D

Based on the available data gathered, 50.7% of French boys and 33.3% of girls aged 6-17 years old reached the physical activity guidelines (of 60 minutes of moderate to vigorous PA per day), with proportions declining with age and time, especially at the time of puberty. About 70% of boys and 56% of girls aged 6-10 years old kids met the PA recommendations, compared to 34% and 20% between 11 to 14 years, and 40% and 16% between 15 and 17 years old, respectively ²⁰. The HBSC survey indicates that between 2014 and 2018, the percentage of 11-year-old girls meeting the guidelines declined from 25% to 17%,compared to a drop from 11% to 9% in boys ²¹. In 13-year-old girls and boys, the proportion of youth meeting PA recommendations dropped from 16% to 14% and from 9% to 7%, respectively. Similarly, rates dropped from 14% to 11% and 6% to 4% among 15 years old boys and girls, respectively. Girls, compared with boys, showed a greater decline in PA levels from 11 years of age, particularly for moderate-to-vigorous PA.

The 2020 RC demonstrated the need for better and more regular monitoring of physical activity at the national level. The majority of the results are based on the main national surveys ²² whose results

were already considered in the 2018 RC. However, these were updated in 2020 with regards to the Esteban's data 22 and HBSC 2017-2018 surveys 21 .

While the 2016RC concluded that there was a lack of evidence to properly and objectively evaluate this indicator (proposing then the grade "INC"), the 2018RC committee determined that sufficient data was available to assign the grade of "D". Two years later, although some new data are available, the status of the overall physical activity level of children and adolescents in France remains worrying, and the expert panel maintained a grade of "D".

Increasing our national efforts for a larger and more efficient national surveillance system is urgent given the dramatic evolution of the physical activity level of children and adolescents. As part of the 2020RC conclusions, the expert panel recommends the implementation of educational campaigns regarding the exact definition and components of physical activity and its overall health and social impact, addressed to both parents and kids, but also to all the actors in kids' lives (e.g., educators or coaches). It is also essential to increase the opportunities to be active, through urban and environmental strategies and facilities.

Organized Sport and Physical Activity: C-

As for the last two reports, the participation in organized sports was evaluated based on the number of sports licenses delivered by French sports federations after registration in sports clubs for children and youth (excluding licenses delivered for school-based organized sports). In 2018, 8.2 million children and adolescents were registered members of a sport federation, which corresponds to 50% of the total number of federative licenses in France. A total of 59.5% of these licenses concern boys. 10 to 14 year olds represent the highest number of licenses, with a progressive decline after 14 years in both boys and girls, regardless of the type of sport. Between 2017 and 2018, the number of licenses across all federations combined declined by 761,601 among kids under 9 years old, 168,128 in 10 to 14 years old children, and 42,591 in adolescents aged 15 to 19 years old.

A grade of "D" was attributed to this indicator in 2016, and upgraded to a "C-" in 2018. The 2020 Report Card expert panel collectively decided to maintain this grade of "C-". Indeed, the trends and conclusions provided by available literature remain identical to what was observed two years ago.

As already underlined in 2018, the available data do not provide any information concerning the dose, frequency, and intensity of activity during organized sports, which should be assessed ¹⁶. This would inform the extent to which these federative practices contribute to the overall level of physical activity of our children and adolescents. Our committee encourages the development of new sport federations that would attract more youth, especially for girls, as well as the development of multiactivity licenses by federations. Further research is also needed to identify the potential barriers to accessing organized sport and physical activity for French children and youth, and if there is equal opportunity for participation in affordable and appealing activities across different territories (rural versus urban), genders, socio-economic levels, and sporting abilities.

Active Play: INC

While this indicator was not included in the RC analysis back in 2016, the 2018 RC pointed out a lack of evaluation and available evidence for active play in France (grade "NC"). National surveys (ESTEBAN 2014-2016 and Inca 3) reported the only available data showing that only 38% of boys and 39.3% of girls aged 6-10 years old reported engaging in outdoor active play every school day, and 32.2% of boys and 33.2% of girls also reported playing outdoors on non-school days ²². Unfortunately, the present 2020 analysis did not find any more recent evidence regarding this indicator and decided to maintain the grade "NC".

This lack of national evaluation of active play indicator is not specific to France, with the majority of the Global Matrix 3.0 countries unable to evaluate this indicator in 2018 due to missing evidence ¹⁶. While there is still a need for an international consensus on the definition of active play, future surveys and studies should include simple question to parents to estimate the engagement of

children in active play and estimate the contribution to their overall physical activity level.

Methodological studies should be conducted to develop reliable and validated tools to properly assess active play in children.

Active Transportation: C-

According to national data previously collected within the Esteban survey, 40% of children aged 6-10 years old use active transportation to go to school (35% of boys and 45% of girls) ²², and 43% of 11 to 14 year olds use active transportation to reach their school (42% of boys and 44% of girls) ²³. While 97% of parents declare that safety is among the top rated criteria to choose the mode of transportation to school for their child, 55% admit that the lack of security is among the primary reasons not to choose active transportation. While local administrations have started to increase their annual budget allocated to the development of cycle lanes, securing additional safe walking paths and bike lanes must be a priority. Overall, the global cycling and walking infrastructures, including on-road and off-road paths with physical separation from vehicles, should be improved and further developed.

In France, as in most countries, the use of active transportation in youth is primarily assessed through surveys related to school, the full spectrum of active commuting opportunities should be considered (travels to parks, leisure activities, shopping, etc.).

Although the grade attributed to this indicator improved between 2016 and 2018, progressing from "D" to "C-", the 2020 RC expert panel collectively considered that the lack of new evidence, as well as the distance and perspective regarding the actions/strategies initiated did not allow us to modify this grade and maintained the grade "C-".

Sedentary Behaviors: D-

Nearly 3 of every 4 French school-aged children exceed the recommended limit of 2 hours of screen exposure per day, with half of children reaching at least 3.5 hours per day and 10% exceeding 6 hours per day. During weekends, 93% of these children exceed 2 hours of screen time per day, 50% reach at least 6 hours, and 10% reach more than 11 hours. These data collected among school children and adolescents confirm the alarming situation captured in national surveys ^{22,23} indicating that French children and adolescents spend an average of 4 hours per day in front of a screen. Only 28.3% of boys and 41.5% of girls aged 6-10 years old, 16.3% of boys and 17.3% of girls aged 11-14 years, and 2.6% of boys and 13.7% of girls aged 15-17 years old meet the guidelines for less than 2 hours per day in front of screens ^{20,22,23}.

While the present surveys predominantly ask about the use of TV, computers, and video games, our national surveys should also include tablets and smartphones in their evaluations. Moreover, there is a clear need at the national and international level to develop a reliable and validated questionnaire to better evaluate this sedentary time and its characteristics (frequency, duration, and timing during the day). These alarming statistics highlight an urgent need for policies aimed at decreasing recreational screen time among youth, but also to better educate the general population about the deleterious short and long term effects of sedentary time across the lifespan. Due to the lack of new or higher quality data since the 2018 RC expert panel downgraded this indicator from "D" (2016) to "D-" (2018), the 2020 grade for sedentary behaviors remains "D-".

Physical Fitness: D

While this indicator was not evaluated as part of the first 2016RC, the 2018 expert panel noted that French children and adolescents had a moderately good overall physical fitness and attributed the grade "B-" to the indicator. This evaluation was based on data collected among a large sample of children and youth aged 10-15 years old, between 2009 and 2013 ²⁴. Although our 2018RC clearly underlined the need for updated and more systematic evaluation of this indicator, limited recent

data were available for the current evaluation process. Recent findings describe changes in muscle strength, cardiorespiratory endurance, speed, agility, and coordination between 2010 and 2013 of 516 children who were 7.7±0.4 years old at the start of the study ²⁵. These results show a significant reduction of the overall fitness of the kids who maintained a healthy weight from 2010 to 2013. Children who were initially healthy weight in 2010 but who developed overweight in 2013 show a significant reduction of their cardiorespiratory fitness, agility, and coordination. Coordination and agility were significantly reduced among children who initially had overweight/obesity in 2010 and achieved a healthy weight by 2013. Finally, overall fitness was significantly reduced among those who had persistent overweight/obesity from 2010 to 2013 (ref). Although these results were published in 2020, the data were collected between 2010 and 2013, and no more recent strong evidence was available. Based on these alarming results and observations made in the RC2018, coupled witj the lack of new data, the expert panel makes an urgent call for new national fitness evaluation campaigns on a regular basis. Physical fitness in children and adolescents is a determinant of physical and mental health and strongly associated with long-term health outcomes as they age into adulthood. We herein highlight the need for national campaign and educational strategies for children and families, in combination with environmental approaches to promote physical activity and then fitness. Altogether, these observations led the 2020RC expert panel to attribute the grade of "D" to this indicator.

242

243

244

245

246

247

248

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

Family and Peers: D-

The two previous edition of the RC (2016-2018) based their analysis on only two regional studies that examined the physical activity level of parents ^{26,27}, and clearly concluded that the level of available evidence was not complete enough to attribute a letter grade to the Family and Peers indicator ("NC"). There have been some new studies investigating the role of parents and peers on children's physical activity since the last evaluation ^{28–31}. One study found that the physical activity level of

French adolescents is positively associated with the perception of their parents' activity levels (Langlois, Omorou, Vuillemin, Briançon, & Lecomte, 2017). Another study conducted among football players and coaches also underlines the role played by children's sport instructors or coaches (Van Hoye, Heuzé, Van den Broucke, & Sarrazin, 2016). In that study the engagement and implication in youth's practice of sport is positively associated with the reported reinforcement of theirself-esteem, respect of others, and pleasure by coaches (Van Hoye, Heuzé, Van den Broucke, & Sarrazin, 2016). As already noted in the 2018 RC, evidence shows that higher family socio-economic status is associated with higher physical activity and lower sedentary time in children and adolescents ²².

Although the expert panel upgraded this indicator to "D-" for the 2020 edition of the RC, they collectively recommend additional work in this area. We must also disseminate more information regarding the role of parents and peers on children and adolescent's health behaviors. Importantly, parent and peer influence can come in the form of education, but also through simply modeling

health behaviors and providing social support during activities.

School: B-

As previously detailed in the two previous iterations of France's Report Card, three hours per week of physical education (PE) are recommended nationally for children attending primary schools (6-10 years-old). In secondary schools (11-14 years-old), PE covers four hours per week in grade 6 students and three to four hours per week in older students. High school students (15-18 years old) get two hours per week of PE. The 2020RC notes the recurrent and alarming issue of PE exemption. In 2019, a national survey reported the permanent exemption rates for about 8.5% of girls following a professional curriculum. This report also indicates that this permanent exemption rate is at least twice as high in girls compared with boys ³². While these statistics concerned children and adolescents that do not practice PE at all, further evaluations of temporary and partial exemption and the reasons for these assignments are needed. In addition to the PE lessons included school curricula, extra-curricular physical activities are offered to students. In elementary and primary

school children, 20% and 80% of pupils engaged in these extra-curricular activities, respectively, which corresponds to 12.4% of the student population. In 2018-2019, a total of 1,179,261 secondary school students are engaged in extra-curricular physical activities, 41.75% girls and 58.25% boys, which corresponding to a decline of 0.67% compared to the previous year. The number of licenses declined more sharply in older students ³³. Further research is needed to better understand the decline of the youth involvement in PE and school-based activities with age, especially among girls. We reinforce the recommendations from 2016 and 2018. As in 2018, we collectively believe that the school environment could be an ideal setting to promote overall physical activity and to create a culture of healthy movement behaviors beyond those that take place at school. We encourage the continued development of new school policies to increase physical activity opportunities and ensure that a greater proportion of youth would meet the WHO's physical activity guidelines. Four national programs will encourage the participation in weekly physical activities leading up to the Olympic games of 2024 in Paris. This kind of initiative should be promoted more strongly. There is an increasing body of evidence clearly showing the feasibility and beneficial effects of active classrooms, using activity breaks or active desks, and more field experiments should be conducted to properly evaluate their effectiveness. In line with the two previous RC underlining the central and crucial role played by the school setting on physical activity in youth (with a grade of "B" in both 2016 and 2018), the 2020RC expert panel attributed the "B-" grade to this indicator.

293

294

295

296

297

298

299

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

Community and Environment: F

As in the previous RC, most of the available evidence regarding this indicator relates to cycling paths. In 2019, 1.36km per 1000 inhabitants have been created or rearranged, compared to 1.0 km per 1000 in 2016. A total of 66% of public roads have now a speed limit of 30 km/h to improve the safety of cycle users, and 26% of the roads with a speed limit of 50 km/h are equipped with physically identified cycling paths (enquête CVCT, 2019 (ref). Approximately 40% of current cyclists report that

the local safety conditions have positively improved between 2017 and 2019. This finding varies depending on the size of the city, with 27% of cyclists in cities of less than 20,000 inhabitants, and 56% of cyclists in cities above 200,000 habitants (Baromètre 2019 des villes cyclables de la FUB). According to the Cycling Cities and Territory Club (CVTC), the budget dedicated to the development of a "cycling strategy" by urban collectivity increased from 7.32 euros per inhabitant in 2016 to 9.26 euros per inhabitant in 2019. In 2019, 91% of their city members had a specific and official plan for increased cycle use, versus 83% in 2016. While these efforts are encouraging, they must be sustained to promote the use of cycles in urban areas. We need more evaluations on the progression of sports facilities, playground areas, and green areas, as noted in the previous editions of the RC. While the development of cycling facilities and opportunities is an important source of physical activity at the community level, other types of community programs and infrastructure should be developed. As part of the heritage strategy of the 2024 Paris Olympic Games, the organizing committee has created a working group to develop new "active designs" for sport infrastructures and public spaces, with a goal to enhance physical activity in the general population. The 2016 and 2018 RC had insufficient evidence to assign a letter grade to the Community and Environment indicator. This year, the "F" grade has been , highlighting the need for new interventions and projects with appropriate assessment to improve this RC evaluation. The 2020RC committee and the French ONAPS call for action and new initiatives to promote PA at the community level, and for collection of qualitative and quantitative data on the response to these efforts.

319

320

321

322

323

324

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

Government: C

New national plans and strategies have been developed since 2018 to promote physical activity and combat excessive sedentary behaviors from the youngest age. The 2018-2022 National Health Strategy includes the promotion of a regular physical activity coupled with a reduction in sedentary time as one of its objectives. It includes a specific section focusing on health in youth, with particular

attention to the excessive use of screens in young people. The Priority Prevention Plan that started in 2018 also considers regular physical activity as a primary strategy to fight pediatric overweight/obesity and related complications. Three main actions related to physical activity are part of this plan: i) swimming lessons from the youngest age; ii) cycling lessons; iii) curriculum development combining school classes in the morning with physical practice in the afternoon. The first two axes were established to guarantee that children can swim and bike safely (as two modes to improve PA), while the afternoon activities are implemented to help youth discover new activities and improve fitness. An inter-ministries National Sport and Health Strategy 2019-2024 has been developed, aiming at creating a national culture of health movement behaviors. One the main missions is to develop the practice of physical activity among school children. In 2019, the fourth National Nutrition and Health Plan was launched (PNSS 2019-2023), including several objectives for the promotion and encouragement of active mobility, overall physical activity, physical education, and a reduction of sedentary behaviors in children and parents. These efforts led to several initiatives, including the deployment of the formerly evaluated ICAPS program 34,35, as well as the creation of a "2024 Generation label" in conjunction with the organization of the 2024 Olympic Games in Paris.

As noted in 2018, there is still a lack of data to quantify the level of leadership and commitment from the French government in providing physical activity opportunities for all youth. Although several actions and plans have been initiated and launched, the evaluation of effectiveness and cost-benefit analysis is still to be determined. The grade for this indicator improved from "INC" to "C" from 2016 to 2018, and our 2020 expert panel decided to maintain the "C" grade. We are hopeful for objective evaluation of these national initiatives for our next edition.

347

348

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

2020: Year of the COVID-19 confinements.

The addition of a 2020 RC for physical activity and sedentary behaviors must consider the unique situation generated by the COVID-19-related confinements, having significantly affected movement behaviors. The ONAPS, in the early days of the first confinement (March 2020), launched a national survey examining the potential changes induced by the lock-down on population-level physical activity and sedentary behaviors ³⁶. Complete data were collected for 22,895 participants, including 1588 6-10 year olds, 4903 adolescents (11-18 year olds) and 348 children below 6 years old. Among very young kids (below 6 years), 50.3% increased their physical activity levels during confinement, 25% decreased, and 24.7%maintained their PA levels. The access to an outdoor area was positively associated with the maintenance or increase in physical activity ³⁷. However, 60.4% of these young children increased their screen time, and 51% of parents reported that this increased screen exposure was linked to the necessity to work from home ³⁷. About 42% of children 6-10 years and 58.7% of adolescents decreased physical activity during the confinement, a decline that was more pronounced among initially active youth. The Figure 2 illustrates these changes among children and adolescents 6 to 17 years old who were initially active and inactive. Concerning screen time, 62% of 6-10 year old children and 68.9% of adolescents experienced an increase in exposure to screens ³⁸.




Figure 2: Declared evolution of the physical activity level of 6-10 years old (A) and 11-17 years old (B) children and adolescents during the first 2020 French COVID-19 related confinement (according to Chamboniièere et al., 2021).

While these results are in line with what has been observed at the international level, they also highlight the fact that being active does not prevent children and adolescents from other deleterious effects of such a confinement period. Recommendations have been formulated by the ONAPS in the likely event of additional lock-downs in the future ³⁹. We must ensure that the behavioral changes induced by such periods do not worsen the alarming prevalence of physical inactivity and sedentary behaviors in youth.

Conclusions

The 2020 French Report Card expert panel presents a third edition of the Report Card following its 2016 15 and 2018 16 evaluations. While insufficient data remained available to grade the Active Play indicator, all others were graded. This allowed us to evaluated three new indicators which could not previously be rated (Active Play, Family and Peers, Community and Environment). Based on our 2020 analysis, while most of the indicators show a relative stagnation of their evaluation (as shown in table X), physical fitness has been downgraded from "B-" to "D" due to the lack of updated evidence. Although stable, our conclusions remain that levels of physical activity and sedentary behaviors among French children and youth are very concerning (with respective grades of "D" and "D-"). Despite slight grade changes on individual metrics, the overall 2020RC grade remains stable compared to our 2018 edition with "C-" (RC2016 "D"). The next coordinated Global Matrix 4.0 will be launched in 2022, allowing for international comparison at that time. The present evaluation of PAL and SB did not consider the context of the COVID-19 confinement that dramatically affected both indicators in French children and adolescents, similarly to findings reported at the international level,. We confirm the urgent need for efficient public health strategies, developed and implemented at the national level, to address this physical inactivity crisis. National plans and strategies have been developed and launched to promote overall PA and fight against excessive sedentary behaviors since our previous RC edition, and we collectively hope that their evaluation will provide us with positive results supporting improvements of our kids' movement

397

398

399

400

401

402

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

behaviors.

Acknowledgements. The authors want to thank the MatMut insurance mutuality for its support as well as HealthWay for coordinating the France Report Card process.

Founding source. The authors want to thank the MatMut insurance mutuality for its support as well as HealthWay for coordinating the France Report Card process.

Declaration of interest. The authors have no conflict of interest to disclose.

403		
404		
405	Ref	erences
406 407 408	1.	Poitras VJ, Gray CE, Borghese MM, et al. Systematic review of the relationships between objectively measured physical activity and health indicators in school-aged children and youth. <i>Appl Physiol Nutr Metab</i> . 2016;41(6 Suppl 3):S197-239. doi:10.1139/apnm-2015-0663
409 410 411	2.	Janssen I, Leblanc AG. Systematic review of the health benefits of physical activity and fitness in school-aged children and youth. <i>Int J Behav Nutr Phys Act</i> . 2010;7:40. doi:10.1186/1479-5868-740
412 413 414	3.	Brodersen NH, Steptoe A, Boniface DR, Wardle J. Trends in physical activity and sedentary behaviour in adolescence: ethnic and socioeconomic differences. <i>Br J Sports Med</i> . 2007;41(3):140-144. doi:10.1136/bjsm.2006.031138
415 416 417	4.	Kalman M, Inchley J, Sigmundova D, et al. Secular trends in moderate-to-vigorous physical activity in 32 countries from 2002 to 2010: a cross-national perspective. <i>Eur J Public Health</i> . 2015;25 Suppl 2:37-40. doi:10.1093/eurpub/ckv024
418 419	5.	Booth VM, Rowlands AV, Dollman J. Physical activity temporal trends among children and adolescents. <i>J Sci Med Sport</i> . 2015;18(4):418-425. doi:10.1016/j.jsams.2014.06.002
420 421 422	6.	Dollman J, Norton K, Norton L. Evidence for secular trends in children's physical activity behaviour. <i>Br J Sports Med</i> . 2005;39(12):892-897; discussion 897. doi:10.1136/bjsm.2004.016675
423 424 425	7.	Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet Glob Health. 2018;6(10):e1077-e1086. doi:10.1016/S2214-109X(18)30357-7
426 427 428 429	8.	Sigmund E, Sigmundová D, Badura P, Kalman M, Hamrik Z, Pavelka J. Temporal Trends in Overweight and Obesity, Physical Activity and Screen Time among Czech Adolescents from 2002 to 2014: A National Health Behaviour in School-Aged Children Study. <i>Int J Environ Res Public Health</i> . 2015;12(9):11848-11868. doi:10.3390/ijerph120911848
430 431 432	9.	Bucksch J, Sigmundova D, Hamrik Z, et al. International Trends in Adolescent Screen-Time Behaviors From 2002 to 2010. <i>J Adolesc Health</i> . 2016;58(4):417-425. doi:10.1016/j.jadohealth.2015.11.014
433 434 435	10.	Corder K, Sharp SJ, Atkin AJ, et al. Change in objectively measured physical activity during the transition to adolescence. <i>Br J Sports Med</i> . 2015;49(11):730-736. doi:10.1136/bjsports-2013-093190
436 437 438	11.	Colley RC, Brownrigg M, Tremblay MS. A model of knowledge translation in health: the Active Healthy Kids Canada Report Card on physical activity for children and youth. <i>Health Promot Pract</i> . 2012;13(3):320-330. doi:10.1177/1524839911432929

- 439 12. Tremblay MS, Barnes JD, Cowie Bonne J. Impact of the Active Healthy Kids Canada report card: a 10-year analysis. *J Phys Act Health*. 2014;11 Suppl 1:S3-S20. doi:10.1123/jpah.2014-0167
- 13. Tremblay MS, Gray CE, Akinroye K, et al. Physical activity of children: a global matrix of grades
- comparing 15 countries. J Phys Act Health. 2014;11 Suppl 1:S113-125. doi:10.1123/jpah.2014-
- 443 0177
- 14. Tremblay MS, Barnes JD, González SA, et al. Global Matrix 2.0: Report Card Grades on the
- Physical Activity of Children and Youth Comparing 38 Countries. J Phys Act Health. 2016;13(11)
- 446 Suppl 2):S343-S366. doi:10.1123/jpah.2016-0594
- 447 15. Aucouturier J, Ganière C, Aubert S, et al. Results From the First French Report Card on Physical
- 448 Activity for Children and Adolescents. J Phys Act Health. 2017;14(8):660-663.
- 449 doi:10.1123/jpah.2017-0046
- 450 16. Aubert S, Aucouturier J, Ganière C, et al. Results from France's 2018 Report Card on Physical
- 451 Activity for Children and Youth. *J Phys Act Health*. 2018;15(S2):S360-S362.
- 452 doi:10.1123/jpah.2018-0511
- 453 17. Aubert S, Aucouturier J, Vanhelst J, et al. France's 2018 Report Card on Physical Activity for
- 454 Children and Youth: Results and International Comparisons. J Phys Act Health. 2020;17(3):270-
- 455 277. doi:10.1123/jpah.2019-0241
- 456 18. Aubert S, Barnes JD, Abdeta C, et al. Global Matrix 3.0 Physical Activity Report Card Grades for
- 457 Children and Youth: Results and Analysis From 49 Countries. J Phys Act Health. 2018;15(S2):S251-
- 458 S273. doi:10.1123/jpah.2018-0472
- 459 19. Ward MR, Tyler R, Edwards LC, Miller MC, Williams S, Stratton G. The AHK-Wales Report Card
- 460 2018: Policy Measures is it possible to "score" qualitative data? Health Promot Int. Published
- 461 online November 9, 2020. doi:10.1093/heapro/daaa118
- 462 20. Verdot C, Salanave B, Deschamps V. Activité physique et sédentarité dans la population
- française. Situation en 2014- 2016 et évolution depuis 2006-2007. Bull Epidémiol Hebd.
- 464 2020;(15):296-304.
- 465 21. Inchley J, Currie D, Budisavljevic S, Torsheim T, Jåstad A, Cosma A et al., editors. Spotlight on
- adolescent health and well-being. Findings from the 2017/2018 Health Behaviour in School-aged
- 467 Children (HBSC) survey in Europe and Canada. International report. Volume 2. Key data. Copenhagen:
- 468 WHO Regional Office for Europe; 2020.
- 469 22. Équipe de surveillance et d'épidémiologie nutritionnelle (Esen). Étude de Santé Sur
- 470 l'environnement, La Biosurveillance, l'activité Physique et La Nutrition (Esteban), 2014-2016.
- 471 Volet Nutrition. Chapitre Corpulence. 2e Édition. Santé publique France; 2020:1-58.
- 472 www.santepubliquefrance.fr
- 473 23. Anses. INCA 3 en image Les Français, l'activité physique et la sédentarité | Anses Agence
- 474 nationale de sécurité sanitaire de l'alimentation, de l'environnement et du travail. Accessed
- January 13, 2021. https://www.anses.fr/fr/content/inca-3-en-image-les-fran%C3%A7ais-
- 476 lactivit%C3%A9-physique-et-la-s%C3%A9dentarit%C3%A9
- 477 24. Vanhelst J, Labreuche J, Béghin L, et al. Physical Fitness Reference Standards in French Youth:
- 478 The BOUGE Program. J Strength Cond Res. 2017;31(6):1709-1718.
- 479 doi:10.1519/JSC.000000000001640

- 480 25. Vanhelst J, Ternynck C, Ovigneur H, Deschamps T. [Tracking of physical fitness during chilhood:
- Longitudinal findings from the Diagnoform program]. Rev Epidemiol Sante Publique.
- 482 2020;68(3):163-169. doi:10.1016/j.respe.2020.04.052
- 483 26. Thibault H, Contrand B, Saubusse E, Baine M, Maurice-Tison S. Risk factors for overweight and
- 484 obesity in French adolescents: physical activity, sedentary behavior and parental characteristics.
- 485 *Nutrition*. 2010;26(2):192-200. doi:10.1016/j.nut.2009.03.015
- 486 27. Wagner A, Klein-Platat C, Arveiler D, Haan MC, Schlienger JL, Simon C. Parent-child physical
- activity relationships in 12-year old French students do not depend on family socioeconomic
- 488 status. Diabetes Metab. 2004;30(4):359-366. doi:10.1016/s1262-3636(07)70129-5
- 489 28. Bernal C, Lhuisset L, Fabre N, Bois J. School-Based Multi-component Intervention to Promote
- 490 Physical Activity and Reduce Sedentary Time of Disadvantaged Children Aged 6-10 Years:
- 491 Protocol for a Randomised Controlled Trial. *Journal of medical Internet Research Protocols*.
- 492 Published online in press.
- 493 29. Cousson-Gélie F, Carayol M, Fregeac B, et al. The "great live and move challenge": a program to
- 494 promote physical activity among children aged 7-11 years. Design and implementation of a
- 495 cluster-randomized controlled trial. BMC Public Health. 2019;19(1):367. doi:10.1186/s12889-
- 496 019-6648-x
- 497 30. Langlois J, Omorou AY, Vuillemin A, Briançon S, Lecomte E, PRALIMAP Trial Group. Association of
- 498 socioeconomic, school-related and family factors and physical activity and sedentary behaviour
- among adolescents: multilevel analysis of the PRALIMAP trial inclusion data. BMC Public Health.
- 500 2017;17(1):175. doi:10.1186/s12889-017-4070-9
- 31. Van Hoye A, Heuzé J-P, Van den Broucke S, Sarrazin P. Are coaches' health promotion activities
- beneficial for sport participants? A multilevel analysis. *J Sci Med Sport*. 2016;19(12):1028-1032.
- 503 doi:10.1016/j.jsams.2016.03.002
- 32. Eduscol. L'évaluation Aux Baccalauréats, CAP et BEP de l'enseignement Général, Technologique
- 505 et Professionnel En Education Physique et Sportive.; 2019.
- 506 https://eduscol.education.fr/eps/examens/ComNat/rapport-cne-2019
- 33. UNSS. *RAPPORT GÉNÉRAL 2018 2019*.; 2020. https://unss.org/wp-
- 508 content/uploads/2020/02/RAPPORT_G%C3%89N%C3%89RAL_UNSS_2018_2019.pdf
- 34. Simon C, Wagner A, DiVita C, et al. Intervention centred on adolescents' physical activity and
- 510 sedentary behaviour (ICAPS): concept and 6-month results. Int J Obes Relat Metab Disord.
- 511 2004;28 Suppl 3:S96-S103. doi:10.1038/sj.ijo.0802812
- 512 35. Simon C, Wagner A, Platat C, et al. ICAPS: a multilevel program to improve physical activity in
- 513 adolescents. Diabetes Metab. 2006;32(1):41-49. doi:10.1016/s1262-3636(07)70245-8
- 36. Genin P, Dutheil F, Larras B, et al. Promoting physical activity and reducing sedentary time
- among tertiary workers: Position Stand from the French National Observatory for Physical
- Activity and Sedentary Behaviors (ONAPS). 2020 In press. *Journal of Physical Activity and Health*.
- 517 Published online in press.
- 518 37. Fillon A, Lambert C, Tardieu M, et al. Impact of the COVID-19 confinement on movement
- behaviors among French young children (<6 years old): Results from The ONAPS national survey.
- 520 *Pediatric Minerva*. Published online under review.

38. Chambonnière C, Lambert C, Tardieu M, et al. Effect of the COVID-19 confinement on Physical Activity and Sedentary Behaviors in French Children and Adolescents: new results from The ONAPS national survey. *Pediatric Minerva*. Published online under review.
 39. Thivel D, Tardieu M, Genin P, et al. COVID-19-related national re-confinement: recommendations from the National French Observatory for Physical activity and Sedentary Behaviors (ONAPS).

JPAH. Published online under review.

526