

Unraveling the interplay between verbal utterances, bodily shape, and beliefs: novel insights into embodied language processing

Robin Gigandet, Melisa Yavuz, Bing Li, Tatjana Nazir

▶ To cite this version:

Robin Gigandet, Melisa Yavuz, Bing Li, Tatjana Nazir. Unraveling the interplay between verbal utterances, bodily shape, and beliefs: novel insights into embodied language processing. Annual Embodied and Situated Language Processing (ESLP), Sep 2023, Messina, Italy. hal-04428779

HAL Id: hal-04428779 https://hal.univ-lille.fr/hal-04428779

Submitted on 4 Apr 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

UNRAVELING THE INTERPLAY BETWEEN VERBAL UTTERANCES, BODILY SHAPE, AND BELIEFS: NOVEL INSIGHTS INTO EMBODIED LANGUAGE PROCESSING



Université de Lille - SCALab

Robin Gigandet, Melisa Yavuz, Bing Li & Tatjana Nazir








ABSTRACT

Embodied cognition theories propose that perception is influenced by our bodily experiences. Here we explored the significance of coherence between verbal utterances and the physical appearance of a speaker a limbless robot. Our goal was to understand how the lack of limbs on a robot affects our perception when it discusses limb-related actions. We hypothesized that our own bodily experiences allow us to recognize inconsistencies in such situations. To measure this, we utilized the N400 effect, an electrophysiological marker of semantic processing. Additionally, we investigated participants' beliefs about the robot possibly having concealed limbs, a concept popularized in media (e.g., Eve from Pixar's Wall-E). Surprisingly, about 70% of participants believed the robot could have hidden limbs, indicating a prevailing inclination toward beliefs contradicting the robot's physical evidence. Critically, only the 30% of "non-believers" demonstrated the anticipated N400 effect; those who believed in potential hidden limbs had a diminished or non-existent N400 response. These results shed light on the complex relationship between embodied experiences and beliefs and how they jointly influence language comprehension processes.




is a component of the brain's event-related potential (ERP) that is generally induced by semantic incongruence, with a slightly larger amplitude over the right hemisphere, on central & parietal electrode sites [1]

DATA PROCESSING

EEGLab [2] & MNE Python [3]

- window of interest [500-700ms]
- filter [0.5Hz 30Hz]

- baseline [-150ms 0ms]
- 13 electrodes of interest



Robin Gigandet robin.gigandet@univ-lille.fr Bing Li bing.li@univ-lille.fr

tatjana.nazir@univ-lille.fr **ORIGINAL PAPER**

Melisa Yavuz

Tatjana Nazir

melisa.yavuz@cnrs.fr



SCAN ME

Social Robots. 2023 IEEE International Conference on Advanced Robotics and Its Social Impacts (ARSO), 15-20. https://doi.org/10.1109/ARSO56563.2023.10187469

Gigandet et al. (2023). The "Eve effect bias": Epistemic

Vigilance and Human Belief in Concealed Capacities of

* The authors are affiliated with

Université de Lille, CNRS, UMR 9193 - SCALab Sciences Cognitives et Sciences Affectives, F-59000 Lille, France

CONGRUENT

e.g. to talk

INCONGRUENT

e.g. to applaud






Questionnaire

about the robot's cognitive abilities Imagination, Intelligence, Independence, Creativity, Talkativity

about the possibility that the robot items could have hidden arms or legs

*Because popular culture often portrays robots with surprising hidden capabilities



Dependent measures

N400 component

Questionnaire assessing perceptions about the robot



RESULTS

(Blue Frog Robotics)

METHODS

BELIEFS ABOUT HIDDEN LIMBS

Of **27** participants

we separated the participants into 2 groups:

those who didn't consider the possibility of


60 videos

comprising 30 where **Buddy** made

contradictory statements


regarding its physical abilities

"To go upstairs, I will take the lift/stairs"




→ an increased N400 amplitude was found when the sentences were incongruent with the robot's physical appearance

those who did consider the possibility of the robot having hidden arms/legs (n=10; scaling score = [38-86])Believers




the distinction between *incongruent* & congruent sentences nearly disapears



For the 27 participants: Imagination (54.51), Intelligence (73.48), Independence (53.18), Creativity (52.40), Talkativity (79.77)

For the "non-believers": Imagination (48.2), Intelligence (65.3), Independence (44.1), Creativity (40.9), Talkativity (78.0)

For the "Believers": Imagination (54.8), Intelligence (77.6), Independence (68.6), Creativity (54.6), Talkativity (84.6)



→ Beyond the ERPs, the cognitive ability scores also reflect differences.

The **Non-believers** had a more negative perception of the ASA's capabilities*

*Note that the effect is marginally significant, probably due to the small sample size.

CONCLUSION

Our findings highlight the remarkable human ability to reconcile the discrepancy between the appearance of the robot and the conveyed meaning. The participants' beliefs significantly influenced both their neural and language processing. These results provide valuable insights into the intricate interplay between embodied experience and beliefs, and sheds light on the complex mechanisms underlying the interpretation of information. Preexisting beliefs influenced how we process and understand messages, showcasing the influence of cognitive frameworks during language processing.

REFERENCES [1] Luck, S. J. (2005). An introduction to the event-related potential technique. MIT Press.

[2] Delorme, A., & Makeig, S. (2004). EEGLAB: An open source toolbox for analysis of single-trial EEG dynamics including independent component analysis. Journal of Neuroscience Methods, 134(1), 9-21. https://doi.org/10.1016/j.jneumeth.2003.10.009

[3] Gramfort, A., Luessi, M., Larson, E., Engemann, D., Strohmeier, D., Brodbeck, C., Goj, R., Jas, M., Brooks, T., Parkkonen, L., & Hämäläinen, M. (2013). MEG and EEG data analysis with MNE-Python. Frontiers in Neuroscience, 7, 267. https://doi.org/10.3389/fnins.2013.00267

This project has been granted funding by the MEL (Métropole européenne de Lille) and the I-SITE ULNE (Université de Lille, as well as from the Fédération de Recherche Sciences et Cultures du Visuel (FR CNRS 2052 SCV)