



**HAL**  
open science

## **Are Cerebrospinal Fluid Biomarkers Useful for the Diagnosis of Cognitive Disorders in Older Patients? A 10-Year Retrospective Study in a Geriatric Memory Clinic at Lille University Medical Center (Lille, France)**

Dominique Huvent-Grelle, Yaohua Chen, Claire Vaudreuil, Susanna Schraen, Jean-Baptiste Beuscart, Eric Boulanger, Francois Puisieux

### ► To cite this version:

Dominique Huvent-Grelle, Yaohua Chen, Claire Vaudreuil, Susanna Schraen, Jean-Baptiste Beuscart, et al.. Are Cerebrospinal Fluid Biomarkers Useful for the Diagnosis of Cognitive Disorders in Older Patients? A 10-Year Retrospective Study in a Geriatric Memory Clinic at Lille University Medical Center (Lille, France). HSOA journal of gerontology & geriatric medicine, 2022, Journal of Gerontology and Geriatric Medicine, 8, pp.146. 10.24966/GGM-8662/100146 . hal-04582492

**HAL Id: hal-04582492**

**<https://hal.univ-lille.fr/hal-04582492v1>**

Submitted on 23 May 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

## Brief report

### Are Cerebrospinal Fluid Biomarkers Useful for the Diagnosis of Cognitive Disorders in Older Patients? A 10-Year Retrospective Study in a Geriatric Memory Clinic at Lille University Medical Center (Lille, France)

Dominique Huvent-Grelle<sup>1\*</sup>, Yaohua Chen<sup>1</sup>, Claire Vaudreuil<sup>1</sup>, Susanna Schraen<sup>2</sup>, Jean Baptiste Beuscart<sup>1</sup>, Eric Boulanger<sup>1</sup> and François Puisieux<sup>1</sup>

<sup>1</sup>Pôle de Gériatrie, CHU LILLE, France

<sup>2</sup>Pôle de Biologie Pathologie Génétique, CHU LILLE, France

#### Abstract

We focused on the diagnostic value of Cerebrospinal Fluid (CSF) biomarker assays in older patients. Literature data on this topic are very scarce. CSF biomarkers now constitute an additional body of evidence in the diagnosis of Alzheimer Disease, along with clinical observations, neuropsychological data and imaging findings. We present data obtained in a geriatric memory clinic (Lille, France) over 10 years. We included solely patients having undergone Lumbar Puncture (LP) with diagnostic intent, i.e., when the clinical, neuropsychological and imaging data had not enabled the clinic's physicians to establish a certain diagnosis. A total of 3,236 patients attended our memory clinics; 37 of them underwent LP. The application of CSF biomarker assays enabled rectification of the clinical diagnosis in 35.1% of cases. The diagnosis of cognitive disorders must always be based on a personalized approach.

**Keywords:** Cerebrospinal fluid biomarkers; Cognitive disorders; Lumbar puncture; Older patient

\*Corresponding author: Dominique Huvent-Grelle, Pôle de Gériatrie, CHU LILLE, France, E-mail: dominique.huvent@chru-lille.fr

**Citation:** Huvent-Grelle D, Chen Y, Vaudreuil C, Schraen S, Beuscart JB, et al. (2022) Are Cerebrospinal Fluid Biomarkers Useful for the Diagnosis of Cognitive Disorders in Older Patients? A 10-Year Retrospective Study in a Geriatric Memory Clinic at Lille University Medical Center (Lille, France). J Gerontol Geriatr Med 8: 146.

**Received:** September 06, 2022; **Accepted:** September 27, 2022; **Published:** October 04, 2022

**Copyright:** © 2022 Huvent-Grelle D, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

#### Introduction

Twenty years ago, research on biomarkers in Alzheimer's Disease (AD) was initiated by the publication of guidelines from the International Working Group and the National Institute on Aging - Alzheimer's Association [1,2]. Cerebrospinal Fluid (CSF) biomarkers now constitute an additional body of evidence in the diagnosis of AD, along with clinical observations, neuropsychological data and imaging findings. CSF biomarkers enable AD to be diagnosed 20 to 30 years before clinical signs appear and also facilitate differential diagnoses with regard to other neurodegenerative or cerebrovascular diseases [3]. This technique is approved in France for the diagnosis of young adults, atypical forms of AD or rapidly progressing cognitive disorders. At present, three markers are assayed: total tau, phosphorylated tau and beta-amyloid peptide. Although the incidence of dementia rises markedly with age, few real-life data on the value of CSF biomarkers in very older people are available [4]. Here, we present data obtained in a geriatric memory clinic at Lille University Medical Center (Lille, France) over 10 years.

#### Methodology

We analyzed the data on patients having undergone Lumbar Puncture (LP) in our memory clinic over a 10-year period (2010 to 2019). In fact, we included solely patients having undergone LP with diagnostic intent, i.e., when the clinical, neuropsychological and imaging data had not enabled the clinic's physicians to establish a certain diagnosis. Patients with certain diagnoses in the absence of CSF assays, patients having refused LP, and patients on anticoagulants or with a severe rheumatic disease (making LP impossible, even when guided by a radiologist) were not evaluated. Each patient's hemostatic profile was checked before LP. All patients gave their written, informed consent to the procedure.

#### Results

Over the study period, a total of 3,236 patients (mean age: 83) attended our memory clinics; 37 of them underwent LP. In 13 (1/3) of these 37 cases, there was a mismatch between the initial clinical diagnosis and the results of the CSF biomarker assays. The diagnosis has been rectified for these patients (Table 1).

Characteristic	N= 37	N	%
Sex	Females	23	62.2
	Males	14	37.8
Age (years, mean (SD))	Females	76 (8.13)	
	Males	74 (8.51)	
Place of residence	Own home	34	91.9
	Nursing/care home	3	8.1
Cardiovascular risk factor	YES	29	78.4
Antiplatelet agents	YES	15	40.5
Imaging	MRI	36	97.3
	PET	6	16.2
	CT	1	

MMSE score out of 30	Mean (SD)	26 (2.38)	
Mattis Dementia Rating Scale score out of 144	Mean (SD)	130 (10.41)	
Diagnosis before the LP	SCI	1	67.5 27
	MCI <sup>1</sup>	25	
	AD <sup>2</sup>	10	
	FTD <sup>3</sup>	1	
Diagnosis after the LP	SCI	1	59.4 29.8
	MCI	22	
	AD	11	
	FTD	1	
	LATE <sup>4</sup>	1	
	PSP	1	
Complication post LP		0	
Diagnosis rectified for 13 patients (35.1%)	6 diagnoses of MCI were changed to AD. 5 diagnoses of AD were changed to MCI. 1 diagnosis of AD was changed to LATE. 1 diagnosis of PSP, based on the neurological, imaging and biomarker findings.		

**Table 1:** Characteristics of the study population.

SCI: Subjective Cognitive Impairment - MCI: Mild Cognitive Impairment- AD: Alzheimer’s Disease- FTD: Frontotemporal Dementia - LATE: Limbic-Predominant age-related TDP-43 Encephalopathy - PSP: Progressive Supranuclear Palsy

<sup>1</sup>Petersen, 2006

<sup>2</sup>NIA/AA 2011

<sup>3</sup>McKhann 2011

<sup>4</sup>Nelson, 2019

## Discussion

According to the participants in the National Institutes of Health workshop in 1998, “the ideal biomarker should be reliable, predictive, unique, reproducible, repeatable and strictly related to the pathological process” [5]. The diagnostic use of CSF biomarkers is subject to various difficulties and limitations. Some sources of assay variability are linked to technical factors (the type of tubes used and the sample collection, transport and storage procedures), the absence of assay standardization, and the lack of internationally agreed cut-off values [3]. In the present analysis, our patients were not extremely old, were living at home and had a high mean Mini Mental State Examination score (Table 1); this is in line with the literature data [3,6,7]. It should also be borne that amyloid disease biomarkers are present in 30% of “cognitively normal” older adults [7]. Other factors must not be forgotten, such as visual disorders, presbycusis and polypharmacy [6].

There are many arguments in favor of the use of biomarker assays in older patients. In our study (as in the literature), we did not encounter any complicating factors [3,6]. The more widespread diagnostic use of this technique might enable the formation of homogeneous

populations (e.g. the A/T/N classification) [2]. It must be also emphasized that dementia is not always linked to amyloid or tau pathology, and the latter diseases can also coexist with cerebrovascular pathologies and hippocampal sclerosis [6]. Matsson et al., have shown that biomarker levels do not vary with age [8], and Herruka et al., have graded recommendations for the conversion of mild cognitive impairment to AD as a function of the levels of three biomarkers [9]. Mouton-Liger et al., reported a mismatch between the initial clinical diagnosis and the LP results in a third of cases; in 77% of these mismatches, the clinician changed his/her initial diagnosis to coincide with the biochemical findings [10]. In the present study, the application of CSF biomarker assays enabled rectification of the clinical diagnosis in 35.1% of cases (Table 1).

## Conclusion

The diagnosis of cognitive disorders must always be based on a personalized approach. The use of data on CSF biomarkers can complement and improve a “composite diagnosis” formed after a clinical examination, a neuropsychological assessment and imaging. These assays enable the accurate differential diagnosis of various types of dementia. The development of less invasive blood biomarker assays would be of assistance to the clinician and would also increase the currently low level of enrollment of older patients in AD clinical trials.

## Financial Disclosure

This research did not receive any specific funding from agencies or organizations in the public, commercial, or not-for-profit sectors.

## Sponsor’s Role

The sponsor was not involved in the study design, methods, subject recruitment, data collection, analysis and preparation of the paper.

## Conflict of Interest

None of the authors have any financial conflicts of interest to disclose. This study was designed and conducted in accordance with the tenets of the Declaration of Helsinki.

## Author Contributions

Dominique Huvent-Grelle conceived and designed the study. Susanna Schraen supervised the analysis of the samples. Dominique Huvent-grelle, Yaohua Chen and Claire Vaudreuil drafted the manuscript. Eric Boulanger and Jean-Baptiste Beuscart searched the literature. François Puisieux revised the manuscript. All authors contributed to the interpretation of the results and approved the final version to be published.

## Acknowledgment

The authors thank Géry Huvent for his invaluable assistance.

## References

1. Dubois B, Feldman HH, Jacova C, Hampel H, Molinuevo JL, et al. (2014) Advancing research diagnostic criteria for Alzheimer’s disease: The IWG-2 criteria. *Lancet Neurol* 13: 614-629.
2. Jack CR Jr, Bennett DA, Blennow K, Carrillo MC, Dunn B, et al. (2018) NIA-AA Research Framework: Toward a biological definition of Alzheimer’s disease. *Alzheimers Dement* 14: 535-562.

3. Sonnen JA, Montine KS, Quinn JF, Kaye JA, Breitner JC, et al. (2008) Biomarkers for cognitive impairment and dementia in elderly people. *Lancet Neurol* 7: 704-714.
4. Alzheimer's Disease International (ADI) (2019). World Alzheimer Report 2018. ADI, London, UK.
5. NIH Workshop (1998) Research needs for the Design and Analysis of Surrogate Endpoints in Clinical Trials. NIH Workshop.
6. Paolacci L, Giannandrea D, Mecocci P, Parnetti L (2017) Biomarkers for Early Diagnosis of Alzheimer's Disease in the Oldest Old: Yes or No? *J Alzheimers Dis* 58: 323-335.
7. Jansen WJ, Ossenkuppele R, Knol DL, Tijms BM, Scheltens P, et al. (2015) Prevalence of cerebral amyloid pathology in persons without dementia: A meta-analysis. *JAMA* 313: 1924-1938.
8. Mattsson N, Rosén E, Hansson O, Andreassen N, Parnetti L, et al. (2012) Age and diagnostic performance of Alzheimer disease CSF biomarkers. *Neurology* 78: 468-476.
9. Herukka SK, Simonsen AH, Andreassen N, Baldeiras I, Bjerke M, et al. (2017) Recommendations for cerebrospinal fluid Alzheimer's disease biomarkers in the diagnostic evaluation of mild cognitive impairment. *Alzheimers Dement* 13: 285-295.
10. Mouton-Liger F, Wallon D, Troussière AC, Yatimi R, Dumurgier J, et al. (2014) Impact of cerebro-spinal fluid biomarkers of Alzheimer's disease in clinical practice: A multicentric study. *J Neurol* 261: 144-151.



- Advances In Industrial Biotechnology | ISSN: 2639-5665
- Advances In Microbiology Research | ISSN: 2689-694X
- Archives Of Surgery And Surgical Education | ISSN: 2689-3126
- Archives Of Urology
- Archives Of Zoological Studies | ISSN: 2640-7779
- Current Trends Medical And Biological Engineering
- International Journal Of Case Reports And Therapeutic Studies | ISSN: 2689-310X
- Journal Of Addiction & Addictive Disorders | ISSN: 2578-7276
- Journal Of Agronomy & Agricultural Science | ISSN: 2689-8292
- Journal Of AIDS Clinical Research & STDs | ISSN: 2572-7370
- Journal Of Alcoholism Drug Abuse & Substance Dependence | ISSN: 2572-9594
- Journal Of Allergy Disorders & Therapy | ISSN: 2470-749X
- Journal Of Alternative Complementary & Integrative Medicine | ISSN: 2470-7562
- Journal Of Alzheimers & Neurodegenerative Diseases | ISSN: 2572-9608
- Journal Of Anesthesia & Clinical Care | ISSN: 2378-8879
- Journal Of Angiology & Vascular Surgery | ISSN: 2572-7397
- Journal Of Animal Research & Veterinary Science | ISSN: 2639-3751
- Journal Of Aquaculture & Fisheries | ISSN: 2576-5523
- Journal Of Atmospheric & Earth Sciences | ISSN: 2689-8780
- Journal Of Biotech Research & Biochemistry
- Journal Of Brain & Neuroscience Research
- Journal Of Cancer Biology & Treatment | ISSN: 2470-7546
- Journal Of Cardiology Study & Research | ISSN: 2640-768X
- Journal Of Cell Biology & Cell Metabolism | ISSN: 2381-1943
- Journal Of Clinical Dermatology & Therapy | ISSN: 2378-8771
- Journal Of Clinical Immunology & Immunotherapy | ISSN: 2378-8844
- Journal Of Clinical Studies & Medical Case Reports | ISSN: 2378-8801
- Journal Of Community Medicine & Public Health Care | ISSN: 2381-1978
- Journal Of Cytology & Tissue Biology | ISSN: 2378-9107
- Journal Of Dairy Research & Technology | ISSN: 2688-9315
- Journal Of Dentistry Oral Health & Cosmesis | ISSN: 2473-6783
- Journal Of Diabetes & Metabolic Disorders | ISSN: 2381-201X
- Journal Of Emergency Medicine Trauma & Surgical Care | ISSN: 2378-8798
- Journal Of Environmental Science Current Research | ISSN: 2643-5020
- Journal Of Food Science & Nutrition | ISSN: 2470-1076
- Journal Of Forensic Legal & Investigative Sciences | ISSN: 2473-733X
- Journal Of Gastroenterology & Hepatology Research | ISSN: 2574-2566
- Journal Of Genetics & Genomic Sciences | ISSN: 2574-2485
- Journal Of Gerontology & Geriatric Medicine | ISSN: 2381-8662
- Journal Of Hematology Blood Transfusion & Disorders | ISSN: 2572-2999
- Journal Of Hospice & Palliative Medical Care
- Journal Of Human Endocrinology | ISSN: 2572-9640
- Journal Of Infectious & Non Infectious Diseases | ISSN: 2381-8654
- Journal Of Internal Medicine & Primary Healthcare | ISSN: 2574-2493
- Journal Of Light & Laser Current Trends
- Journal Of Medicine Study & Research | ISSN: 2639-5657
- Journal Of Modern Chemical Sciences
- Journal Of Nanotechnology Nanomedicine & Nanobiotechnology | ISSN: 2381-2044
- Journal Of Neonatology & Clinical Pediatrics | ISSN: 2378-878X
- Journal Of Nephrology & Renal Therapy | ISSN: 2473-7313
- Journal Of Non Invasive Vascular Investigation | ISSN: 2572-7400
- Journal Of Nuclear Medicine Radiology & Radiation Therapy | ISSN: 2572-7419
- Journal Of Obesity & Weight Loss | ISSN: 2473-7372
- Journal Of Ophthalmology & Clinical Research | ISSN: 2378-8887
- Journal Of Orthopedic Research & Physiotherapy | ISSN: 2381-2052
- Journal Of Otolaryngology Head & Neck Surgery | ISSN: 2573-010X
- Journal Of Pathology Clinical & Medical Research
- Journal Of Pharmacology Pharmaceutics & Pharmacovigilance | ISSN: 2639-5649
- Journal Of Physical Medicine Rehabilitation & Disabilities | ISSN: 2381-8670
- Journal Of Plant Science Current Research | ISSN: 2639-3743
- Journal Of Practical & Professional Nursing | ISSN: 2639-5681
- Journal Of Protein Research & Bioinformatics
- Journal Of Psychiatry Depression & Anxiety | ISSN: 2573-0150
- Journal Of Pulmonary Medicine & Respiratory Research | ISSN: 2573-0177
- Journal Of Reproductive Medicine Gynaecology & Obstetrics | ISSN: 2574-2574
- Journal Of Stem Cells Research Development & Therapy | ISSN: 2381-2060
- Journal Of Surgery Current Trends & Innovations | ISSN: 2578-7284
- Journal Of Toxicology Current Research | ISSN: 2639-3735
- Journal Of Translational Science And Research
- Journal Of Vaccines Research & Vaccination | ISSN: 2573-0193
- Journal Of Virology & Antivirals
- Sports Medicine And Injury Care Journal | ISSN: 2689-8829
- Trends In Anatomy & Physiology | ISSN: 2640-7752

Submit Your Manuscript: <https://www.heraldopenaccess.us/submit-manuscript>